Sl. No.	Items of work	Unit	Rate	Quantity	Rate to be quoted
				Rs. a. p.	
28	Teakwood work, wrought and put up joints of (20¼' 3"×12") for floor	C.ft.	6 0 0	395	
29	Providing and fixing 1½" thick teakwood plank from joists on 2"×1" teak reepers placed 12" apart c to c. for floor and smooth plastering	Sqr.	90 0 0	30·62	
30	Flooring with 1½" cement concrete ½" cement plaster with red cement, diagonal cut 8"×8" ends neat borders over 3" lime concrete and neat polishing after finishing the works ..	Sqr.	25 0 0	9·79	
31	White washing, two coats	,,	0 4 0	50·00	
32	Calicarium wash, two coats	,,	3 0 0	26·16	
33	Cream colour washing, two, coats and one coat of white washing	,,	0 6 0	38·94	
34	Turra Cotta colour washing, two coats and one coat of white washing	,,	0 8 0	105·15	
35	Varnishing, two coats (in Jenson Nikalson) with one coat of wood oiling	,,	8 0 0	9·00	
36	Tarring to wood work, two coats	,,	1 8 0	10·00	
37	Wood oiling, two coats	,,	1 8 0	35·00	
38	Teakwood screen with frame of 2½"×3" panelled shutters including lever arrangements ⅔ panelled, ⅓ glazed 1/16" thick ground glass panes including fixing iron clamps and brass fittings ..	S.ft.	1 8 0	149	
39	White silicate painting, two coats	Sqr.	4 0 0	4·12	
40	Government Lac Factory green painting, three coats	,,	5 0 0	5·32	
41	Providing and fixing cast iron round down water pipe 4" diameter with bend and bell mouths ..	R.ft.	2 0 0	281	
42	Fixing old down water pipe and bends	,,	0 2 0	79	
43	Providing and fixing round wooden step from verandah floor to down floor	No.	25 0 0	4	

B. R. GARUDACHAR,
Executive Engineer.

BANGALORE DIVISION.

Notification dated 28th November 1938.

Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 19th December 1938 for improving Kattigenahalli tank, Reg. No. 27 of Hoskote Taluk.

2. Tenders in the prescribed form obtainable from the office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for improving Kattigenahalli Tank, Reg. No. 27 of Hoskote Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited the deposit amount of Rs. 150 into the treasury under "17 (*a*) P. W. Deposits" or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 20th December 1938, at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the Departmental Schedule Contract form after depositing an additional sum of Rs. 150 for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days between 11 A.M. and 5 P.M., and may be obtained from that officer on payment of Rs. 3 for each.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page, noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of May 1939, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 150 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.

(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.

(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.

(4) Arrange for protecting work during inclement weather.

(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.

(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.

(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities required for Improving Kuttigenhalli Tank, Register No. 27, Serial No. 13, Hoskote Taluk, Bangalore District.

Sl. No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
	BUND.				
1	Cutting grips and clearing the jungle with roots and forming with picking	Grade	1 0 0	23	
2	Earthwork to bund with required lead, lift and consolidation with watering and tamping, etc. ..	C.yd.	0 4 0	2,149	
3	Lead and consolidation charges for the earth available from approach clearing	,,	0 1 6	1,097	
4	Removing silt in the breach and clearing debris and stacking washed out stones with required lift and lead, etc.	..	..	..	
5	Cutting steps and grips on the bund and slopes ..	Grade	1 8 0	20	
6	Excavating for foundation for the puddle wall ..	C.yd.	0 4 0	23	
7	Puddle wall with good clay including required lead and lift	,,	0 8 6	94	
8	Resetting the old stone work with new jelly backing and jelly wedging including required lead and lift.	,,	0 12 0	120	
9	New rough stone work with required lead and lift, jelly backing and jelly wedging, etc., complete ..	,,	1 10 0	318	
10	Turfing the slpoes and watering till it is satisfactory.	S.yd.	0 1 0	5,336	
11	Removing and refixing old grade stones on new bed slabs including cutting figures and painting ..	Each	0 4 0	18	
12	Providing and fixing new grade stones on bed slabs including cutting figures and painting	,,	2 0 0	5	
13	Providing and fixing Index stones, etc., complete ..	,,	0 8 0	23	
14	Removing and refixing old B. M. stones on bed slab including painting	,,	0 8 0	2	
15	Removing and refixing Register No. Stone on bed slab and painting	,,	1 0 0	1	
16	Providing gauge stone on bed slab with masonry work and cutting figures and painting, etc.	,,	12 0 0	1	
	WASTE WEIR.				
1	Earthwork draft and approach clearing and using the same to the bund with the required lead and lift.	C.yd.	0 3 0	2,195	
2	Burnt brick in surki mortar	C.ft.	0 5 0	328	
3	Plastering with surki mortar	Sqr.	4 0 0	2·00	
4	Burnt stone slabs 6″ thick roughly dressed and fixed in surki mortar	S.ft.	0 6 0	168	
5	Joggle joints	Each	0 12 0	18	
6	Rough stone revetment with required lead and lift jelly backing and jelly wedging, etc., complete ..	C.yd.	1 10 0	153	
7	Lead and consolidation charges for the earth available from approach and draft clearing	,,	0 1 6	1,007	
	SLUICE.				
1	Burnt brick in surki mortar	C.ft.	0 5 0	50	
2	Burnt stone slabs 6″ thick dressed and fixed in surki mortar	,,	0 6 0	25	
3	Plastering with surki mortar	Sqr.	4 0 0	1·00	
4	Rough sotne work with the required lead and lift, jelly backing and jelly wedging, etc., comtplete ..	C.yd.	1 10 0	50	
5	Cutting holes in the slabs	Each	1 0 0	1	
6	Providing plug and rod with locking arrangement ..	,,	20 0 0	1	

Notification dated 28th November 1938.

1. Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M., on 17th December 1938, for restoring Dasenahalli Minor Tank, Register No. 122, of Nelamangala Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a

sealed cover and superscribed as "Tender for Dasenahalli Minor Tank Register No. 122 of Nelamangala Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the treasury the deposit amount of Rs. 300 under 17(a) Public Works Deposits, or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 19th December 1938 at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form, after depositing an additional sum of Rs. 300 for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days between 11 A.M. and 5 P.M., and may be obtained from that officer on payment of Rs. 3 for each.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page, noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of March 1940, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 300 per day which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer, in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.

(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.

(3) Provide mortar mills and sheds to keep materials under cover and also for workmen.

(4) Arrange for protecting work during inclement weather.

(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.

(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.

(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations, wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D. so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and, if necessary, provide for the same by insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities required for restoring Dasenahalli Minor Tank, Register No. 122 of Nelamangala Taluk.

Sl. No.	Items of work	Unit	Rate	Quantity	Cost
	BUND R. L. 57·00.		Rs. a. p.		Rs.
1	Removal of Ant hills and fillings sand and also to attend to works that may arise while closing the existing weir	Grade	1 0 0	18	
2	Cutting steps and grips including scraping grass and jungle clearing	,,	3 0 0	18	
3	Earthwork to bund with required lead and lift and consolidation with watering and tamping, etc., complete	C.yd.	0 3 6	7,317	
4	Lead and consolidation charges for making use of draft extra earth to the bund	,,	0 2 0	2,794	
5	Gravel backing to revetment with required lead and lift	,,	0 8 0	159	
6	New rough stone revetment with jelly backing and jelly wedging with required lead and lift ..	,,	1 8 0	636	
7	Turfing the slopes of bund and watering till it is satisfactory	S.yd.	0 0 9	5,699	
8	Removing and resetting old stone work with new jelly and jelly wedging, etc., complete with required lead and lift	C.yd.	0 10 0	150	
9	Providing new grade stones on bed slabs with figures and painting	Each	2 0 0	18	
10	Providing and fixing Index stones, etc.	,,	0 6 0	18	
11	Providing and fixing B. M. stones on bed slabs including figuring and painting	,,	3 0 0	2	
12	Providing and fixing Register Number and Date stones on bed slab including figuring and painting ..	,,	4 0 0	1	
13	Providing and fixing gauge stone with masonry work on a bed slab with figuring and painting ..	,,	10 0 0	1	

Sl. No.	Items of work	Unit	Rate	Quantity	Cost
	SLUICE R. L. 47·00.				
1	Earthwork cutting and refilling the bund after completion of the sluice work, etc.	C.yd.	0 5 0	61	
2	Earthwork excavation for foundation	,,	0 3 0	13	
3	Concrete of broken jelly in surki mortar	C.ft.	0 4 0	179	
4	Burnt brick in surki mortar 2 : 1	,,	0 4 0	507	
5	Burnt stone slabs 6″ thick all line dressed and fixed in surki mortar	S.ft.	0 6 0	129	
6	Plastering with surki mortar	,,	3 4 0	5·82	
7	Providing and fixing cast iron pipe including Railway freight and carting to site (6″ dia.)	R.ft.	2 0 0	27	
8	Providing plug and rod with locking arrangement, etc.	Each	18 0 0	1	
9	Drilling holes in slabs	No.	1 0 0	4	
	WASTE WEIR R. L. 54·00.				
1	Earthwork excavation for foundation	C.yd.	0 3 0	67	
2	Do stone jelly in surki concrete	C.ft.	0 4 0	516	
3	Burnt brick in surki mortar	,,	0 4 0	1,108	
4	Burnt stone slabs of 6″ thick all line dressed and fixed in surki mortar	S.ft.	0 6 0	263	
5	Joggle joints	No.	1 0 0	20	
6	New rough stone work with required lead and lift, jelly backing and jelly wedging, etc.	C.yd.	1 8 0	99	
7	Plastering with surki mortar	Sqr.	3 4 0	12·62	
8	Draft clearing including forming jack bund with required lead and lift	C.yd.	0 3 0	3,434	

N. LAKSHMINARASIMHIAH,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS.

OFFICE OF THE ASSISTANT DIRECTOR OF AGRICULTURE, BANGALORE CIRCLE, BANGALORE.

Notification dated 29th November 1938.

It is hereby notified that the following Live Stock belonging to the Ramakrishna Krishi Sala, Anekal Taluk, will be sold by public auction on Thursday the 22nd December 1938. The sale will be conducted by the Head-master, Ramakrishna Krishi Sala, on the Sala premises at Ramakrishnapur. The highest bidder for each animal is required to pay the amount of his bid to the Head-master who conducts the sale on the spot before the animal is handed over to him.

One buffalo by name Dharwar Choudi.
He-buffalo calf. One.
One bullock by name Satrughna.

B. DASAPPA,
Assistant Director of Agriculture,
Bangalore Circle, Bangalore.

INDIAN POSTS AND TELEGRAPHS DEPARTMENT.

OFFICE OF THE SUPERINTENDENT OF POST OFFICES, BANGALORE DIVISION.

Abstract Notification No. G-5, dated the 28th November 1938.

Subject :—CALL FOR TENDER FOR CONVEYANCE OF MAILS BETWEEN KOLAR AND TAVAREKERE. BY MOTOR.

Attention is invited to this office notification inviting tenders for the above mail motor contract, published on page 2083 of Part VI of the *Mysore Gazette*, dated the 17th November 1938. The last date for receiving tenders is the 10th December 1938 and the earnest money required is Rs. 5.

M. A. HAMID KHAN,
Superintendent of Post Offices,
Bangalore Division.